

	9144030070855050X9		
	A1 A3		0755-33810388
	<p style="text-align: center;">(Printed Circuit Board PCB) (High Density Interconnection HDI) (Flexible Printed Circuit FPC) (Rigid Printed Circuit Board)</p> <p style="text-align: right;">ISO9001</p> <p>ISO14001 ISO14064 OHSAS18001 ISO50001 QC080000</p>		

					1		
			/	mg/L		mg/L	
				0.05	0.07	0.5	
				0.31	0.42	2	
				0.01	0.01	0.4	
				0.06	0.08	4	
			COD	57.25	79.05	160	
				0.15	0.21	0.5	
				11.75	16.22	30	
				0.05	0.07	0.5	
		DB44/1597-2015 1 DB44/1597-2015 1					
		200%					

					1		
			/	mg/m ³		mg/m ³	
				0.49	2.78	7	
				0.65	3.59	30	
				0.28	1.56	30	
				7.99	8.65	200	
				0.0008	0.005	0.5	
				0	N/A	0.05	
			VOCs	0.40	0.81	80	
		GB21900-2008 5					
		VOCs					
		DB44/815-2010 2					

		()	()		
		160.00	160.00		
		9781.04	9781.04		

		()	()		
		81.44	81.44		
		7.38	7.38		
	PP	31.85	31.85		

1.

2.

3.

4.

5.

6.

SMT

7.

		()	()		
	/	22.61	22.61	1. 2. 3. 4.	SMT
		0.13	0.13		
		6.55	6.55		
		8.61	8.61		
		69.11	69.11		
		244.17	244.17		
		2.84	2.84		
		212.49	212.49		
		245.12	245.12		
		2.82	2.82		
		456.57	456.57		
		19.66	19.66		
		122.13	122.13		
		17.90	17.90		
		11.89	11.89		
		7.21	7.21		
		20.65	20.65		
		6.98	6.98		

	Leq	Leq	Leq	Leq	
1	58.4	47.9	65	55	
1	58.8	50.7			
1	58.4	49.9			
1	58.0	47.5			

		2006 12	12000 /	
		2006 12	129.9 /	
	()	2018 6	26.6 /	

()		2005-1 2-23	[2005]213			

“
() ” 2005259

			2017-2-27
	1		“ ”
	2	“	”
	3		

