

	9144030070855050X9		
	A1 A3		0755-33810388
	<p style="text-align: center;">(Printed Circuit Board PCB) (High Density Interconnection HDI) (Flexible Printed Circuit FPC) (Rigid Printed Circuit Board)</p> <p style="text-align: center;">ISO9001</p> <p>ISO14001 ISO14064 OHSAS18001 ISO50001 QC080000</p>		

					1		
			/	mg/L		mg/L	
				0.04	0.06	0.5	
				0.31	0.44	2	
				0.01	0.01	0.4	
				0.19	0.27	4	
			COD	64.00	91.14	160	
				0.24	0.33	1.0	
				7.32	10.43	30	
				9.05	12.88	40	
			DB44/1597-2015 1				
			200%				

					1		
			/	mg/m ³		mg/m ³	
				0.38	0.38	7	
				1.23	4.41	30	
				0.10	0.39	30	
				3.38	4.60	200	
				0.0048	0.0222	0.5	
				0	N/A	0.05	
			VOCs	4.63	4.69	80	
		GB21900-2008 5					
		VOCs					
		DB44/815-2010 2					

		()	()		
		1786.49	1786.49		
		8192.929	8192.929		

		()	()		
		27.53	27.53		
		11.94	11.94		
		28.6	28.6		
		3.863	3.863		
		321.96	320.96		
		16.11	16.11		
		1402.83	1399.83		
		172.54	171.54		

1.

2.

3.

4.

5.

		()	()		
		4.29	4.29		

6.

		2006 12	12000 /	
		2006 12	129.9 /	
	()	2018 6	26.6 /	

()		2005-1 2-23	[2005]213			
()		2006-8 -10	[2006]1021 72			
()					2007/ 7/19	[2007] 075
2017		2009-0 9-08	[2009]1009 17		2009/ 2/9	[2009] 021
					2011/4 /11	[2011] 026

			2020-1-21
	1		
	2		
	3		

<https://app.gdep.gov.cn/epinfo/>

	2013	12	16		2015	10
23					2017	03 30
					2018	12
31					2019	
12	2				2020	1
1						