

2022 10-12

DB44/1597-2015

	pH ()	COD (mg/L)	(mg/L)	(mg/L)	(mg/L)
10	7.30	106	0.15	15.5	0.14
11	7.20	88	0.04	15.3	0.07
12	7.70	54	0.06	14.6	0.06
	6-9	160	1	30	2

2022 10-12

GB8978-1996

	pH ()	COD (mg/L)	(mg/L)	(mg/L)	(mg/L)
10	7.60	275	0.13	9.50	0.48
11	7.30	227	0.12	12.80	0.46
12	7.10	196	0.45	11.30	0.50
	6-9	400	2	35	5

2022 10-12

GB8978-1996

	pH ()	COD (mg/L)	(mg/L)	(mg/L)	(mg/L)
10	7.10	145	0.09	12.40	0.17
11	7.10	222	0.08	16.60	0.32
12	7.20	178	0.17	14.10	0.32
	6-9	400	0.5	25	5

2022 10-12

GB8978-1996

	pH ()	COD (mg/L)	(mg/L)	(mg/L)	(mg/L)
10	7.70	185	0.29	22.03	0.50
11	7.80	193	0.74	21.10	0.46
12	7.70	255	0.50	13.17	0.17
	6-9	400	2	35	5